Attach this document to your Epilepsy Management Plan if Midazolam is prescribed. This Emergency Plan should be completed by the prescribing doctor in consultation with the person and/or their family or carer. It must be attached to their epilepsy management plan which has been signed by their doctor. The Epilepsy Foundation recommends this plan be reviewed and signed by the person's doctor annually.





Emergency Medication Management Plan Midazolam (only to be administered by a trained person)

Midazolam Management Plan for (name):		
Date:	Date of birth:	
Administration method: BUCCAL		
1. FIRST DOSE Midazolam		
First dose = mg ml		
For single seizures: As soon as a If the For clusters of seizures:	(seizure type) begins (seizure type) continues longer than mins	
When (number) Other (please specify): Special instructions:	(seizure type) occur/s within mins hrs	
2. SECOND DOSE Midazolam		
Second dose = mg ml		
 Not prescribed OR If the		
3. Maximum number of Midazolam doses to be given in a 24-hour period		
Maximum number:		
4. Dial 000 to call the ambulance:		
 □ Prior to administering Midazolam □ If the seizure has not stopped minutes after □ Other (please specify): 	giving the Midazolam	

6. Prescribing doctor or specialist		
Name of doctor:		
Telephone:	Date:	
Signature		
	Insert jpeg here	
7. Family/carers to complete		
Any special instructions e.g. storage of medication, when on outings etc. or people to contact if emergency		
medication is given.		
Name:	Relationship:	
Telephone:	Date:	
Email:		
Signature		
	Insert jpeg here	

Recommended MIDAZOLAM storage information:

- Keep out of reach of children
- Protect from light and store at room temperature (below 25° C)

5. Describe what to do after Midazolam has been administered:

• Regularly check the expiry date.

